



RoHS




REV.	EC#	DESCRIPTION	DATE	DRAWING	CHECKED	APPROVED
A0		初版发行	2019.08.16	ZHOU	SUNNLY	TEDDY
A1	ECN2001002	D/C由喇叭改为隔爆, 包装数量由2700PCS/箱变更为3600PCS/箱	01/03'20	JANYZ	WZX	ST





PIN No.	FUNCTION	SD MODE		UHS II MODE		MMC MODE	
		SD MODE	UHS II MODE	MMC MODE	MMC MODE	MMC MODE	MMC MODE
No. 1	#9	DATA2	-	-	-	-	-
No. 2	#1	CD/DAT3	-	-	RSV	-	-
No. 3	#2	CMD	-	-	CMD	-	-
No. 4	#3	-	VSS1	-	VSS1	-	-
No. 5	#4	VDD	VDD1	-	VDD	-	-
No. 6	#5	CLK	-	-	CLK	-	-
No. 7	#6	CD	CARD DETECT	-	-	-	-
No. 8	#7	-	VSS2	-	VSS2	-	-
No. 9	#8	DATA0	RCLK+	-	DATA	-	-
No. 10	#8	DATA1	RCLK-	-	-	-	-
No. 11	#9	WP	WRITE PROTECT	-	-	-	-
No. 12	#10	-	VSS3	-	-	-	-
No. 13	#11	-	DO+	-	-	-	-
No. 14	#12	-	DO-	-	-	-	-
No. 15	#13	-	VSS4	-	-	-	-
No. 16	#14	-	VDD2	-	-	-	-
No. 17	#15	-	D1-	-	-	-	-
No. 18	#16	-	D1+	-	-	-	-
No. 19	#17	-	VSS5	-	-	-	-

RoHS
HF

Circuit Diagram for Detect SW



WITHOUT CARD



CARD INSERTED WRITE
PROJECT:LOCKCARD INSERTED WRITE
PROJECT:UNLOCK

MILLIMETERS	INCH	UNITS	MM
X" ± 2"	X" ± 2"	MAT'L	
.X ± 0.38	.XX ± 0.015	SEE NOTES	
.XX ± 0.25	.XXX ± 0.010	FINISH	
.XXX ± 0.10	.XXXX ± 0.004	SEE NOTES	
		QTY	
		SEE NOTES	

XES 东莞市溪榜电子有限公司
DONG GUAN XI BANG ELECTRONICS CO., LTD.

PART NUMBER:	102373272	TITLE:	SD4.0 No Push H2.95
APPD:		DWG NO.:	C-102373272-00
CHKD:		SCALE	1:1
DR:		SHEET	1/3
		REV.	A1

RoHS

RoHS
HF


NOTES:

- (1) MATERIAL:
1-1. PLASTIC: LCP, THERMOPLASTIC UL 94V-0 COLOR: BLACK
1-2. CONTACT: COPPER ALLOY.
1-3. SELL: STAINLESS STEEL.
- (2) PATING:
2-1. CONTACT: CONTACT AREA AU 30U" MIN.
SOLDER TAIL AREA: PLATING AU 1U" MIN, OVER NI .
2-2. SHELL: SOLDERABILITY AU 1U" MIN PLATING OVER ALL.
- (3) CONTACT AND TAIL COPLANARITY TO BE 0.10MM MAX.
- (4) RECOMMENDING A METAL MORE THAN 0.15mm THICK.
- (5) insertion and extraction force: 0.7~3.0Kg.
- (6) Mylar has no backing at the opening.


MILLIMETERS	INCH	UNITS	MM	东莞市溪榜电子有限公司 DONG GUAN XI BANG ELECTRONICS CO., LTD.		
X" $\pm$ 2"	X" $\pm$ 2"	MAT'L		PART NUMBER:	TITLE:	
.X $\pm$ 0.38	.XX $\pm$ 0.015	SEE NOTES		102373272	SD4.0 No Push H2.95	
.XX $\pm$ 0.25	.XXX $\pm$ 0.010	FINISH		APPD:	DWG NO.:	
.XXX $\pm$ 0.10	.XXXX $\pm$ 0.004	SEE NOTES		CHKD:	C-102373272-00	
		QTY		DR:		
		SEE NOTES				

RoHS

客户拉出方向



客户拉出方向



Ø380

PE袋

纸箱底部和顶部各垫一块保利龙

0卷/箱

护角


纸箱

封箱胶带

外箱标签指示位置

NOTES

1. 每卷包装数量:450PCS/每卷
2. 卷带包装方式:



3. 每箱包装数量:3600PCS/箱



MILLIMETERS	INCH	UNITS	MM	东莞市溪榜电子有限公司 DONG GUAN XI BANG ELECTRONICS CO., LTD.		
X* ± 2"	X* ± 2"	MAT'L		PART NUMBER:	TITLE:	
.X ± 0.30	.XX ± 0.012	SEE NOTES		102373272	SD4.0 No Push BZ.95	
.XX ± 0.20	.XXX ± 0.008	FINISH		APPD:	DWG NO.: C-102373272-00	
.XXX ± 0.10	.XXXX ± 0.004	SEE NOTES		CHKD:		
		QTY		DR:		
		SEE NOTES			SCALE	SHEET
					1:1	3/3
						REV.
						A1