





RoHS Compliant



REV.	ZONE	DESCRIPTION	DESIGN	DATE
A		初版发行	Jack	17.05.20

NOTES:

1.MATERIAL:

- 1-1. HOUSING: LCP E130i ,COLOR:BACK ,UL94-V0.
- 1-2. INSERTMOLDING: LCP E130i, COLOR:BACK,UL94-V0.
- 1-3. CONTACT: C5191(T=0.20mm);
GOLD FLASH ON CONTACT AREA,
100u" Min. Tin PLATED ON SOLDER TAILS.
50u" Min. NICKEL PLATED OVERALL.

2.ELECTRICAL CHARACTERISTICS:

- 2-1. CURRENT RATING: 0.5A
- 2-2. CONTACT RESISTANCE: 40mΩ MAX.
- 2-3. INSULATION RESISTANCE: 100MΩ MIN.
- 2-4. DIELECTRIC WITHSTAND VOLTAGE: AC 500V/MINUTE.
- 2-5. OPERATING TEMPERATURE RANGE: -25°C~+85°C

3.MECHANICAL CHARACTERISTICSMECHANICAL

CHARACTERISTICS AFTER ASSEMBLING THE SHELL.

- 3-1. INSERTION FORCE: 4.5Kgf MAX.
- 3-2. EXTRACTION FORCE: 1.0Kgf MIN.,4.0KG MAX.
- 4.DURABILITY: 10000 CYCLES.
- 5.SALT FOG TEST AFTER ASSEMBLING THE SHELL:48H.

6."⊗" SHOWS FAI MEASUREMENT POINT.





7. MARKED▽"AS KEY CONTROL SIZE.

Unless otherwise specified tolerances are		XB 东莞市溪榜电子有限公司 DONG GUAN XI BANG ELECTRONICS CO., LTD.						
X.X	±0.25	DRAW NO.	ZQ-17-0008	DATE	DRAW NAME:			
X.XX	±0.20	DWN	Jack	17. 05. 20	XB-HDNU-19P-S HDMI-19P A公B款短体半成品			
X.XXX	±0.15	CHK						
X*	±2.0*	APVD			P/N :XB-HDMI-19P-S			
X.X*	±1.0*							
Third Angle Project		FINISH		UNIT	SCALE	WEIGHT	REV	SHEET
		MATERIAL		mm	1:1		A	1 OF 1

REV.	ZONE	DESCRIPTION	DESIGN	DATE
A		初版发行	Jack	17.05.22

备注:

1. 材质: SPCC ,T=0.30±0.02.
2. 电镀规格: 铜底50u"Min,表面镀亚镍50u"Min.
3. 符合ROHS 环保要求.
4. 盐雾实验通过时间:48H.
5. 标记 ▽ 为重点管控尺寸.
6. 标记 ⊗ 为FAI检验尺寸.
7. 标记 ■ 为CPK检验尺寸.



Unless otherwise specified
tolerances are

X.X	±0.25
X.XX	±0.20
X.XXX	±0.15
X"	±2.0"
X.X"	±1.0"



东莞市溪榜电子有限公司
DONG GUAN XI BANG ELECTRONICS CO., LTD.

Third Angle Project	FINISH	
	MATERIAL	


DRAW NO.	ZQ-17-0009	DATE	17.05.22	DRAW NAME:	XB-HDNU-19P-S A公B款短体 下铁壳-1
DWN	Jack			P/N	: XB-HDNI-19P-S
CHK					
APVD					

UNIT	SCALE	WEIGHT	REV	SHEET
mm	1:1		A	1 OF 1

RoHS Compliant

REV.	ZONE	DESCRIPTION	DESIGN	DATE
A		初版发行	Jack	17.05.23




- 备注:
1. 材质: SPCC ,T=0.30±0.02.
 2. 电镀规格: 铜底50u"Min,表面镀亚镍50u"Min.
 3. 符合ROHS 环保要求.
 4. 盐雾实验通过时间:48H.
 5. 标记 ▽ 为重点管控尺寸.
 6. 标记 ⊗ 为FAI检验尺寸.
 7. 标记 ■ 为CPK检验尺寸.



Unless otherwise specified tolerances are		XB 东莞市溪榜电子有限公司 DONG GUAN XI BANG ELECTRONICS CO., LTD.			
X.X	±0.25	DRAW NO.	ZQ-17-0010	DATE	DRAW NAME:
X.XX	±0.20	DWN	Jack	17. 05. 23	XB-HDMI-19P-S A公B款短体 上铁壳-1 P/N : XB-HDMI-19P-S
X.XXX	±0.15	CHK			
X"	±2.0'	APVD			
X.X"	±1.0'				
 Third Angle Project		FINISH			UNIT
		MATERIAL			SCALE
					WEIGHT
					REV
					SHEET
					1 OF 1


RoHS Compliant

REV.	ZONE	DESCRIPTION	DESIGN	DATE
A		初版发行	Jack	17. 06. 28




NOTES:

- 1.MATERIAL:PA66,COLOR:BACK,15% GLASS FIBER FILLED.
- 2."⊗" SHOWS FAI MEASURMENT POINT.
3. MARKED "▽"AS KEY CONTROL SIZE.





信号线(OD0.53):#1,3,4,6,7,9,10,12,14,19

SCALE 2:1



电子线(OD0.42):#13,15,16,18

SCALE 2:1



地线(多绞0.17):#2,5,8,11,17

SCALE 2:1

Unless otherwise specified tolerances are		东莞市溪榜电子有限公司 DONG GUAN XI BANG ELECTRONICS CO., LTD.			
X.X	±0.25	DRAW NO.	ZQ-17-0013	DATE	DRAW NAME:
X.XX	±0.20	DWN	Jack	17. 06. 28	HDMI 19PM B款 34#线夹 1.4版尾巴3MM(YMS)
X.XXX	±0.15	CHK			P/N :
X*	±2.0°	APVD			
X.X*	±1.0°				
Third Angle Project		FINISH		UNIT	SCALE
		MATERIAL		mm	1:1
				WEIGHT	REV
					SHEET
				A	1 OF 1