









NOTE :

- * Body :High temperature plastic UL 94V-0, Color Nature
- * Slider :High temperature plastic UL 94V-0 Color Black
- * Contact : Phosphor Bronze
- * Fixed tab : Brass with Matte Tin Plated



Recommended P.C. Board Layout

Lead Free Process

Halogen-Free

RoHS compliant

△11	Sun	6/02-22'	ECNT122090		DATE	UNIT: mm / inch	TITLE: 0.50mm(.020") ZIF FFC/FPC ONE-TOUCH CONNECTOR
△10	Karen	3/14-22'	ECNT122032/ECRB122004	DRAWN BY:	Sun	6/2-22'	
△9	Sandy	1/17-16'	ECNT116028/ECRB116002	ENGINEER:	Sun	6/2-22'	MATERIAL:
△8	Karen	10/02-15	ECNT115233	CHECKED BY:	Eisley	6/7-22'	
SYM	NAME	DATE	REVISIONS	APPROVED BY:	Eisley	6/7-22'	FINISH:
							TOLERANCE UNLESS OTHERWISE SPECIFIED
							.X ± 0.20/.008 X' ± 1'
							.XX ± 0.10/.004 .X' ±
							.XXX ± 0.05/.002 .XX' ±
							DRAWING NO. CF2560SK PART NO. CF25***D0**-05-NH
							SCALE 5 / 1 SHEET 1 OF 3



东莞市溪榜电子有限公司
DONG GUAN XI BANG ELECTRONICS CO., LTD.

A = 0.50 x No. of Spaces

B = A + 4.6

C = A + 1.1

D = A + 1.0

E = A + 2.6

F = A + 2.1

△10 △11 *(Available : 05,06,08,09,10,12,13,14,17,19,20,21,22,

24,25,27,30,33,38,40,42,45,50,53,60,61,65)

* Circuits not found above please consult manufacturer *


Ordering Code

CF25 ** * D 0 * * - 05 - NH
① ② ③ ④ ⑤ ⑥ ⑦ ⑧ ⑨

- ① Series No.
- ② No. of Circuits :
- ③ Plating code:
1= 120μ" min. Matte Tin plated over 50μ"min. Nickel
F= Selective Gold flash plated over Nickel
- ④ Contact style: D= Downside contact
- ⑤ Color: 0= Nature
- ⑥ Packing option: R= Tape & Reel , T= Tube
- ⑦ Other option:
D: Accommodated FFC/FPC(TYPE1)
E: Accommodated FFC/FPC(TYPE2)
- ⑧ Pitch: 05= 0.50 mm
- ⑨ -NH= For Leadfree IR Processes and Halogen-Free



Accommodated FFC/FPC(TYPE1)



Accommodated FFC/FPC(TYPE2)

Lead Free Process




Halogen-Free

RoHS compliant

△11	Sun	6/02-22'	ECNT122090		DATE	UNIT: mm / inch	TITLE: 0.50mm(.020") ZIF FFC/FPC ONE-TOUCH CONNECTOR	MATERIAL:	FINISH:	DRAWING NO. CF2560SK	PART NO. CF25***D0**-05-NH
△10	Karen	3/14-22'	ECNT122032/ECRB122004	DRAWN BY:	Sun	6/2-22'					
△9	Sandy	1/17-16'	ECNT116028/ECRB116002	ENGINEER:	Sun	6/2-22'	TOLERANCE UNLESS OTHERWISE SPECIFIED	.X ± 0.20/.008	X' ± 1'	SCALE 10 / 1	SHEET 2 OF 3
△8	Karen	10/02-15	ECNT115233	CHECKED BY:	Eisley	6/7-22'					
△7				APPROVED BY:	Eisley	6/7-22'	.XX ± 0.10/.004	X' ±			
△6							.XXX ± 0.05/.002	.XX' ±			
△5											
△4											
△3											
△2											
△1											
△0											
△-1											
△-2											
△-3											
△-4											
△-5											
△-6											
△-7											
△-8											
△-9											
△-10											
△-11											
△-12											
△-13											
△-14											
△-15											
△-16											
△-17											
△-18											
△-19											
△-20											
△-21											
△-22											
△-23											
△-24											
△-25											
△-26											
△-27											
△-28											
△-29											
△-30											
△-31											
△-32											
△-33											
△-34											
△-35											
△-36											
△-37											
△-38											
△-39											
△-40											
△-41											
△-42											
△-43											
△-44											
△-45											
△-46											
△-47											
△-48											
△-49											
△-50											
△-51											
△-52											
△-53											
△-54											
△-55											
△-56											
△-57											
△-58											
△-59											
△-60											
△-61											
△-62											
△-63											
△-64											
△-65											
△-66											
△-67											
△-68											
△-69											
△-70											
△-71											
△-72											
△-73											
△-74											
△-75											
△-76											
△-77											
△-78											
△-79											
△-80											
△-81											
△-82											
△-83											
△-84											
△-85											
△-86											
△-87											
△-88											
△-89											
△-90											
△-91											
△-92											
△-93											
△-94											
△-95											
△-96											
△-97											
△-98											
△-99											
△-100											



东莞市溪榜电子有限公司
DONG GUAN XI BANG ELECTRONI CS CO., LTD.



WIDTH : 32,44,56 mm Carrier

RoHS Compliant

	Sun	6/02-22'	ECNT122090		DATE	UNIT: mm / inch	TITLE: 0.50mm(.020") ZIF FFC/FPC ONE-TOUCH CONNECTOR	 东莞市溪榜电子有限公司 DONG GUAN XI BANG ELECTRONICS CO., LTD.				
	Karen	3/14-22'	ECNT122032/ECRB122004	DRAWN BY:	Sun	6/2-22'						TOLERANCE UNLESS OTHERWISE SPECIFIED
	Sandy	1/17-16'	ECNT116028/ECRB116002	ENGINEER:	Sun	6/2-22'	MATERIAL:		DRAWING NO.	CF2560SK	PART NO.	CF25***D0**-05-NH
	Karen	10/02-15'	ECNT115233	CHECKED BY:	Eisley	6/7-22'						
SYM	NAME	DATE	REVISIONS	APPROVED BY:	Eisley	6/7-22'	.XXX ± .XX* ±	FINISH:	SCALE	1 / 1	SHEET	3 OF 3