





* Contact: Phosphor Bronze




RoHS Compliant

	Karen	3/29-18'	ECNT118049/ECRB118006			DATE	UNIT: mm / inch		TITLE: 1.00mm(.040") SMT TYPE LIF FFC/FPC CONNECTOR	 东莞市溪榜电子有限公司 DONG GUAN XI BANG ELECTRONICS CO., LTD.	
	Karen	5/09-17'	ECNT117070/ECRT117004	DRAWN BY:	Karen	3/29-18'	TOLERANCE UNLESS OTHERWISE SPECIFIED				MATERIAL:
	Bill	03/27/08	ECR08027-0/ECN08145	ENGINEER:	Sun	3/30-18'	.X ± 0.15/.006	X" ± .1"			
	Sandy	9/22-07'	ECN07381/ECR07065-1	CHECKED BY:	Eisley	4/02-18'	.XX ± 0.10/.004	.X ±			
SYM	NAME	DATE	REVISIONS	APPROVED BY:	Eisley	4/02-18'	.XXX ± 0.05/.002	.XX ±	FINISH:	DRAWING NO. CF1604SL	PART NO. CF16**1MOTO
										SCALE 3 / 1	SHEET 1 OF 2

Circuits	Dimension			Circuits	Dimension		
	A	B	C		A	B	C
3	2.00(.079)	8.00(.315)	4.10(.161)	18	17.00(.670)	23.0(.905)	19.10(.752)
4	3.00(.118)	9.00(.354)	5.10(.201)	19	18.00(.709)	24.0(.945)	20.10(.791)
5	4.00(.157)	10.0(.393)	6.10(.240)	20	19.00(.748)	25.0(.984)	21.10(.831)
6	5.00(.197)	11.0(.433)	7.10(.280)	21	20.00(.787)	26.0(1.024)	22.10(.870)
7	6.00(.236)	12.0(.472)	8.10(.319)	22	21.00(.827)	27.0(1.063)	23.10(.909)
8	7.00(.275)	13.0(.512)	9.10(.358)	23	22.00(.866)	28.0(1.102)	24.10(.949)
9	8.00(.315)	14.0(.551)	10.10(.398)	24	23.00(.905)	29.0(1.142)	25.10(.988)
10	9.00(.354)	15.0(.590)	11.10(.437)	25	24.00(.945)	30.0(1.181)	26.10(1.028)
11	10.00(.393)	16.0(.630)	12.10(.476)	26	25.00(.984)	31.0(1.220)	27.10(1.067)
12	11.00(.433)	17.0(.670)	13.10(.516)	27	26.00(1.024)	32.0(1.260)	28.10(1.106)
13	12.00(.472)	18.0(.709)	14.10(.555)	28	27.00(1.063)	33.0(1.300)	29.10(1.146)
14	13.00(.512)	19.0(.748)	15.10(.594)	29	28.00(1.102)	34.0(1.339)	30.10(1.185)
15	14.00(.551)	20.0(.787)	16.10(.634)	30	29.00(1.142)	35.0(1.378)	31.10(1.224)
16	15.00(.590)	21.0(.827)	17.10(.673)	31	30.00(1.181)	36.0(1.417)	32.10(1.263)
17	16.00(.630)	22.0(.866)	18.10(.713)	32	31.00(1.220)	37.0(1.457)	33.10(1.303)



* ACCOMMODATED FFC






* ACCOMMODATED FPC

RoHS Compliant

10	Karen	3/29-18'	ECNT118049/ECRB118006		DATE	UNIT: mm / inch	TITLE: 1.00mm(.040") SMT TYPE LIF FFC/FPC CONNECTOR	XB Switch Connector 东莞市溪榜电子有限公司 DONG GUAN XI BANG ELECTRONICS CO., LTD.					
9	Karen	5/09-17'	ECNT117070/ECRT117004	DRAWN BY:	Karen	3/29-18'			TOLERANCE UNLESS OTHERWISE SPECIFIED	MATERIAL:	DRAWING NO.	CF1604SL	PART NO.
8	Bill	03/27/08'	ECR08027-0/ECN08145	ENGINEER:	Sun	3/30-18'	.X ± 0.15/.006				X' ± 1"	FINISH:	SCALE
7	Sandy	9/22-07'	ECN07381/ECR07065-1	CHECKED BY:	Eisley	4/02-18'	.XX ± 0.10/.004		.X ±				
SYM	NAME	DATE	REVISIONS	APPROVED BY:	Eisley	4/02-18'	.XXX ± 0.05/.002	.XX ±					


 * PAD: Nylon 6T UL 94V-0, Color Black




RoHS Compliant

11	Sun	6/10-21'	ECNT121139/ECRH121018			DATE	UNIT: mm / inch		TITLE: 1.00mm(.040") SMT TYPE LIF FFC/FPC CONNECTOR	XGB Switch Connector 东莞市溪榜电子有限公司 DONG GUAN XI BANG ELECTRONI CS CO., LTD.	
10	Kenny	8/24-20'	ECNT120223	DRAWN BY:	Sun	6/11-21'	TOLERANCE UNLESS OTHERWISE SPECIFIED				
9	Ken	6/12-17"	ECNT117070/ECRT117004	ENGINEER:	Sun	6/11-21'	.X ± 0.15/.006	X* ± .1"	MATERIAL:		
8	Sun	8/17-16'	ECRB116043/ECNT116164	CHECKED BY:	David	6/11-21'	.XX ± 0.10/.004	.X* ±	FINISH:		
SYM	NAME	DATE	REVISIONS	APPROVED BY:	David	6/11-21'	.XXX ± 0.05/.002	.XX* ±		DRAWING NO. CF1645SL SCALE 3 / 1	PART NO. CF16**1M0*0-LF SHEET 1 OF 3

Circuits	Dimension			Circuits	Dimension		
	A	B	C		A	B	C
3	2.00(.079)	8.00(.315)	4.10(.161)	18	17.00(.670)	23.0(.905)	19.10(.752)
4	3.00(.118)	9.00(.354)	5.10(.201)	19	18.00(.709)	24.0(.945)	20.10(.791)
5	4.00(.157)	10.0(.393)	6.10(.240)	20	19.00(.748)	25.0(.984)	21.10(.831)
6	5.00(.197)	11.0(.433)	7.10(.280)	21	20.00(.787)	26.0(1.024)	22.10(.870)
7	6.00(.236)	12.0(.472)	8.10(.319)	22	21.00(.827)	27.0(1.063)	23.10(.909)
8	7.00(.275)	13.0(.512)	9.10(.358)	23	22.00(.866)	28.0(1.102)	24.10(.949)
9	8.00(.315)	14.0(.551)	10.10(.398)	24	23.00(.905)	29.0(1.142)	25.10(.988)
10	9.00(.354)	15.0(.590)	11.10(.437)	25	24.00(.945)	30.0(1.181)	26.10(1.028)
11	10.00(.393)	16.0(.630)	12.10(.476)	26	25.00(.984)	31.0(1.220)	27.10(1.067)
12	11.00(.433)	17.0(.670)	13.10(.516)	27	26.00(1.024)	32.0(1.260)	28.10(1.106)
13	12.00(.472)	18.0(.709)	14.10(.555)	28	27.00(1.063)	33.0(1.300)	29.10(1.146)
14	13.00(.512)	19.0(.748)	15.10(.594)	29	28.00(1.102)	34.0(1.339)	30.10(1.185)
15	14.00(.551)	20.0(.787)	16.10(.634)	30	29.00(1.142)	35.0(1.378)	31.10(1.224)
16	15.00(.590)	21.0(.827)	17.10(.673)	31	30.00(1.181)	36.0(1.417)	32.10(1.263)
17	16.00(.630)	22.0(.866)	18.10(.713)	32	31.00(1.220)	37.0(1.457)	33.10(1.303)



* ACCOMMODATED FFC



* ACCOMMODATED FPC

Lead Free Process

RoHS Compliant

11	Sun	6/10-21'	ECNT121139/ECRH121018			DATE	UNIT: mm / inch		TITLE: 1.00mm(.040") SMT TYPE LIF FFC/FPC CONNECTOR	 东莞市溪榜电子有限公司 DONG GUAN XI BANG ELECTRONICS CO., LTD.				
10	Kenny	8/24-20'	ECNT120223	DRAWN BY:	Sun	6/11-21'	TOLERANCE UNLESS OTHERWISE SPECIFIED				MATERIAL:	DRAWING NO.	CF1645SL	PART NO.
9	Ken	6/12-17'	ECNT117070/ECRT117004	ENGINEER:	Sun	6/11-21'	.X ± 0.15/.006	X* ± 1"	FINISH:			SCALE	3 / 1	SHEET
8	Sun	8/17-16'	ECRB116043/ECNT116164	CHECKED BY:	David	6/11-21'	.XX ± 0.10/.004	X* ±						
SYM	NAME	DATE	REVISIONS	APPROVED BY:	David	6/11-21'	.XXX ± 0.05/.002	.XX* ±						

