








Dim.A = 1.00 x No. of Spaces
 Dim.B = DIM.A + 5.5
 Dim.C = DIM.A + 2.0
 Available in 4 ~ 10 Circuits

Notes :

- * Body : LCP With 30% G.F UL 94V-0
Color Nature(Halogen-Free)
- * Contact : Copper alloy
- * Fixed tab : Copper alloy With Matte Tin plated
- * For Lead-Free IR Reflow process



SEC.:Y-Y



SEC.: X-X

Ordering Code

CF27 ** * H 0 * A -10 -NH
 ① ② ③ ④ ⑤ ⑥ ⑦ ⑧ ⑨

① Series No.

② No. of Circuits

③ Plating code:

1= 3.05μm(120μ") Min. Matte Tin
 over 0.76μm(30μ") Nickel

2= Gold flash plated over 50μ"min. Nickel

④ Contact style: H= Side Entry

⑤ Color: 0= Nature

⑥ Packing option: R= Tape & Reel
 T= Tube Packing

⑦ Option: A= Base of Wide Size

⑧ Pitch: 10= 1.0 mm

⑨ Process:



-NH= For Lead Free soldering process
 and Halogen-Free

Halogen-Free


Lead Free Process

RoHS Compliant

4					DATE	UNIT: mm / inch	TITLE: 1.00mm(.039") LIF FFC/FPC CONNECTOR	 东莞市溪榜电子有限公司 DONG GUAN XI BANG ELECTRONICS CO., LTD.			
3				DRAWN BY: Ken	11/27-18'	TOLERANCE UNLESS OTHERWISE SPECIFIED	MATERIAL:				
2				ENGINEER: Sun	11/28-18'	.X ± 0.15/.006 X' ± .1	FINISH:	DRAWING NO. CF2711SB	PART NO. CF27***H0*A-10-NH	SHEET 1 OF 3	
1	Ken	11/27-18	ECNT118278/ECRH118041	CHECKED BY: Eisley	11/28-18'	.XX ± 0.10/.004 X' ± .1		SCALE 8 / 1			
SYM	NAME	DATE	REVISIONS	APPROVED BY: Eisley	11/28-18'	.XXX ± 0.05/.002 X' ± .1					



Accommodated FFC





Accommodated FPC

Halogen-Free

Lead Free Process

RoHS Compliant


4					DATE	UNIT: mm / inch	TITLE: 1.00mm(.039") LIF FFC/FPC CONNECTOR	 东莞市溪榜电子有限公司 DONG GUAN XI BANG ELECTRONICS CO., LTD.			
3				DRAWN BY:	Ken	11/27-18'	TOLERANCE UNLESS OTHERWISE SPECIFIED				
2				ENGINEER:	Sun	11/28-18'	.X ± 0.15/.006 X' ± 1'	DRAWING NO. CF2711SB PART NO. CF27***H0*A-10-NH			
1				CHECKED BY:	Eisley	11/28-18'	.XX ± 0.10/.004 X' ±				
SYM	NAME	DATE	REVISIONS	APPROVED BY:	Eisley	11/28-18'	.XXX ± 0.05/.002 XX' ±	FINISH:	SCALE	8 / 1	SHEET 2 OF 3



NOTE :

- * Reel Material : Corrugated Paper
- * Carrier Material : Clear, Conductive Polystyrene Alloy
- * Cover Tape Material : Polyester
- * Cover Tape Peel Strength : 0.1N – 1.3N
- * Carrier camber is within 1mm in 100mm
- * All dimensions meet EIA-481-2 & EIA-481-3 requirements
- * Quantity : 3300 PCS/Reel




Circuits	Dimension				Packing (Reel/Caton)
	E	W1	W2	W3	
4	16.0(.630)	16.5(.650)	22.5(.886)	16.5(.650)	11
5-10	24.0(.945)	24.5(.965)	30.5(1.201)	24.5(.965)	9





WIDTH : 16.24 mm Carrier

RoHS Compliant


4					DATE	UNIT: mm / inch	TITLE: 1.00mm(.039") LIF FFC/FPC CONNECTOR		X3 Switch Connector 东莞市溪榜电子有限公司 DONG GUAN XI BANG ELECTRONICS CO., LTD.				
3				DRAWN BY:	Ken	11/27-18'							TOLERANCE UNLESS OTHERWISE SPECIFIED
2				ENGINEER:	Sun	11/28-18'	.X ±	X' ± 1'	MATERIAL:				
1				CHECKED BY:	Eisley	11/28-18'	.XX ±	X' ±					
SYM	NAME	DATE	REVISIONS	APPROVED BY:	Eisley	11/28-18'	.XXX ±	.XX' ±	FINISH:		DRAWING NO. CF2711SB		PART NO. CF27***H0*A-10-NH
								SCALE				SHEET 3 OF 3	



Dim.A = 1.00 x No. of Spaces
 Dim.B = DIM.A + 3.5
 Dim.C = DIM.A + 2.0
 △ Available in 4 ~ 16 Circuits



SEC.:Y-Y



SEC.: X-X

Material :

- * Body : High temperature plastic UL 94V-0, Color Nature
- * Contact : Copper alloy
- * Fixed tab : Copper alloy With Matte Tin plated

Ordering Code

CF27 ** * H 0 * 0 -10 -NH
 ① ② ③ ④ ⑤ ⑥ ⑦ ⑧ ⑨


- ① Series No.
- ② No. of Circuits
- ③ Plating code:
 1= 3.05μm(120μ") Min. Matte Tin
 over 0.76μm(30μ") Nickel
 2= Gold flash plated over 50u"min. Nickel
- ④ Contact style: H= Side Entry
- ⑤ Color: 0= Nature
- ⑥ Packing option: R= Tape & Reel
 T= Tube Packing
- ⑦ Option: 0= Standard
- ⑧ Pitch: 10= 1.0 mm
- ⑨ Process:
 -NH= For Lead Free soldering process
 and Halogen-Free

Halogen-Free


Lead Free Process

RoHS Compliant


4						DATE	UNIT: mm / inch		TITLE: 1.00mm(.039") LIF FFC/FPC CONNECTOR	X3 Switch Connector 东莞市溪榜电子有限公司 DONG GUAN XI BANG ELECTRONICS CO., LTD.		
3	Ken	11/27-18	ECNT118278/ECRH118041	DRAWN BY:	Ken	11/27-18'	TOLERANCE UNLESS OTHERWISE SPECIFIED					
2	Hank	9/19-17'	ECNT117154/ECRT117042	ENGINEER:	Sun	11/28-18'	.X ± 0.15/.006	X' ± 1'	MATERIAL:			
1	Una	4/1-11'	ECN11008-N	CHECKED BY:	Eisley	11/28-18'	.XX ± 0.10/.004	X' ±	FINISH:			
SYM	NAME	DATE	REVISIONS	APPROVED BY:	Eisley	11/28-18'	.XXX ± 0.05/.002	.XX' ±		DRAWING NO. CF2708SD	PART NO. CF27***H0*0-10-NH	
										SCALE	8 / 1	SHEET 1 OF 3



Sold Pad Pattern



Accommodated FFC





Accommodated FPC

Halogen-Free

Lead Free Process

RoHS Compliant


4					DATE	UNIT: mm / inch	TITLE: 1.00mm(.039") LIF FFC/FPC CONNECTOR	 东莞市溪榜电子有限公司 DONG GUAN XI BANG ELECTRONICS CO., LTD.		
3	Ken	11/27-18	ECNT118278/ECRH118041	DRAWN BY: Ken	11/27-18'	TOLERANCE UNLESS OTHERWISE SPECIFIED				
2	Hank	9/19-17'	ECNT117154/ECRT117042	ENGINEER: Sun	11/28-18'	.X ± 0.15/.006 X' ± .1	MATERIAL:	DRAWING NO. CF2708SD	PART NO. CF27***H0*0-10-NH	
1	Una	4/1-11'	ECN11008-N	CHECKED BY: Eisley	11/28-18'	.XX ± 0.10/.004 .X' ± .1				
SYM	NAME	DATE	REVISIONS	APPROVED BY: Eisley	11/28-18'	.XXX ± 0.05/.002 .XX' ± .1	FINISH:	SCALE	10 / 1	SHEET 2 OF 3



NOTE :

- △ * Reel Material : Corrugated Paper
- * Carrier Material : Clear, Conductive Polystyrene Alloy
- * Cover Tape Material : Polyester
- * Cover Tape Peel Strength : 0.1N – 1.3N
- * Carrier camber is within 1mm in 100mm
- * All dimensions meet EIA-481-2 & EIA-481-3 requirements
- * Quantity : 3300 PCS/Reel

Circuits	Dimension					Packing (Reel/Caton)
	E	F	W1	W2	W3	
4-6	16.0(.630)	—	16.5(.650)	22.5(.886)	16.5(.650)	11
7-10	24.0(.945)	—	24.5(.965)	30.5(1.201)	24.5(.965)	9



WIDTH : 12.16,24 mm Carrier

RoHS Compliant

4						DATE	UNIT: mm / inch		TITLE: 0.50mm(.031") LIF FFC/FPC CONNECTOR	X3 Switch Connector 东莞市溪榜电子有限公司 DONG GUAN XI BANG ELECTRONICS CO., LTD.
3	Ken	11/27-18	ECNT118278/ECRH118041	DRAWN BY:	Ken	11/27-18'	TOLERANCE UNLESS OTHERWISE SPECIFIED			
2	Hank	9/19-17'	ECNT117154/ECRT117042	ENGINEER:	Sun	11/28-18'	.X ±	X' ± 1'	MATERIAL:	
1	Una	4/1-11'	ECN11008-N	CHECKED BY:	Eisley	11/28-18'	.XX ±	X' ±	FINISH:	
Sym	NAME	DATE	REVISIONS	APPROVED BY:	Eisley	11/28-18'	.XXX ±	.XX' ±		DRAWING NO. CF2708SD PART NO. CF27***H0*0-10-NH
										SCALE SHEET 3 OF 3