



Notes:


- * Insulation: Nylon 66, Color Nature
- * Contact: Brass
- * Circuit Pattern Schedule: See Drawing No: CP0110S*
- * For Tin-Lead Wave Flow Process
- * With drain holes shown For 4~24 circuits
- * Without drain holes shown For 2 circuits



Ordering Code:

CP-01 3 ** * * 0
 ① ② ③ ④ ⑤ ⑥

- ① Series No.
- ② Type of Connector:
3= Straight PCB mount header
- ③ No of Circuits:
- ④ Plating Code:
 ⚠ 1= 2.54 μm(100 μ") Tin over 1.02 μm(40 μ") Nickel
 ⚠ 2= Gold flash plated over 1.27 μm(50 μ") Nickel
 ⚠ 3= 0.38 μm(15 μ") Gold plated over 1.27 μm(50 μ") Nickel
 4= 0.76 μm(30 μ") Gold plated over 1.27 μm(50 μ") Nickel
 A= Selective Gold flash plated over 1.27 μm(50 μ") Nickel
 B= Selective 0.38 μm(15 μ") gold plated over 1.27 μm(50 μ") Nickel
 C= Selective 0.76 μm(30 μ") gold plated over 1.27 μm(50 μ") Nickel
- ⑤ Variation:
1= UL 94V-2, Without mounting pegs
3= UL 94V-0, Without mounting pegs
- ⑥ Option: 0= Standard




Recommended P.C. Board Layout

Halogen-Free

Tin-Lead Process

RoHS Compliant

④	Sandy	3/9-21'	ECNT121071/ECRT121011		DATE	UNIT: mm / inch	TITLE: STRAIGHT HEADER	 东莞市溪榜电子有限公司 DONG GUAN XI BANG ELECTRONI CS CO., LTD.	
③	Una	11/25-10'	ECN10382	DRAWN BY: Sandy	3/26-21'	TOLERANCE UNLESS OTHERWISE SPECIFIED	CP-01 POWER CONNECTOR		
②	Sandy	5/12-08'	ECN08219	ENGINEER: Sun	3/29-21'	.X ± 0.38/.015 X' ± r	MATERIAL:	DRAWING NO. CP0128SN	PART NO. CP-013***10
①	SUN	1/15/04'	ECN04025	CHECKED BY: Eisley	4/5-21'	.XX ± 0.25/.010 .X' ±	FINISH:	SCALE 2 / 1	SHEET 1 OF 1
SYM	NAME	DATE	REVISIONS	APPROVED BY: Eisley	4/5-21'	.XXX ± 0.10/.004 .XX' ±			